

Lampiran 2 Peta Alamat I/O Komputer

ALAMAT (HEX)	FUNGSI
000-00F	DMA Controller
010-01F	DMA Controller (PS/2)
020-02F	Master Programmable Interrupt Controller (PIC)
030-03F	Slave PIC
040-05F	Programmable Interval Timer (PIT)
060-06F	Keyboard Controller
070-071	Real Time Clock
080-083	DMA Page Register
090-097	Programmable Option Select (PS/2)
0A0-0AF	PIC #2
0C0-0CF	DMAC #2
0E0-0EF	Reserved
0F0-0FF	Math coprocessor, PCJr Disk Controller
100-10F	Programmable Option Select (PS/2)
110-16F	AVAILABLE
170-17F	Hard Drive 1 (AT)
180-1EF	AVAILABLE
1F0-1FF	Hard Drive 0 (AT)
200-20F	Game Adapter
210-217	Expansion Card Ports

220-26F	AVAILABLE
278-27F	Parallel Port 3
280-2A1	AVAILABLE
2A2-2A3	Clock
2B0-2DF	EGA/Video
2E2-2E3	Data Acquisition Adapter (AT)
2E8-2EF	Serial Port COM4
2F0-2F7	Reserved
2F8-2FF	Serial Port COM2
300-31F	Prototype Adapter, Periscope Hardware Debugger
320-32F	AVAILABLE
330-33F	Reserved for XT/370
340-35F	AVAILABLE
360-36F	Network
370-377	Floppy Disk Controller
378-37F	Parallel Port 2
380-38F	SDLC Adapter
390-39F	Cluster Adapter
3A0-3AF	Reserved
3B0-3BF	Monochrome Adapter
3BC-3BF	Parallel Port 1
3C0-3CF	EGA/VGA

3D0-3DF	Color Graphics Adapter
3E0-3EF	Serial Port COM3
3F0-3F7	Floppy Disk Controller
3F8-3FF	Serial Port COM1